

Strawberry Cough

Sample ID: HR20260191340	Produced:	Client
Matrix: Plant	Collected: 01/28/2026	HOLM GROWN LLC
Type: Hemp	Received: 01/28/2026	Lic. # 36_0295
Sample Size: ; Batch:	Completed: 02/11/2026	169 Holm Rd
Strain: Strawberry Cough	Batch#:	Hillsdale, NY 12529



Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	02/10/2026	Complete
Moisture	02/10/2026	72.33%

Cannabinoids

Complete

21.57% Total THC	ND Total CBD	21.76% Total Cannabinoids
----------------------------	------------------------	-------------------------------------

Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	%	mg/g
THCa	0.01500	0.10000	24.60	245.98
Δ9-THC	0.00800	0.10000	ND	ND
Δ8-THC	0.02000	0.10000	ND	ND
THCV	0.00600	0.10000	ND	ND
CBDa	0.00200	0.10000	ND	ND
CBD	0.00400	0.10000	ND	ND
CBN	0.00800	0.10000	ND	ND
CBGa	0.29000	0.88000	0.22	2.19
CBG	0.00600	0.10000	ND	ND
CBC	0.02000	0.10000	ND	ND
Total THC			21.57	215.72
Total CBD			ND	ND
Total			21.76	217.65
Sum of Cannabinoids			24.82	248.17

Determination of Cannabinoids by HPLC, HL223

Total THC = Δ9-THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



Ming Li

Ming Li - General Manager
02/11/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.